


Product datasheet

Specifications



APC NetShelter Cable Management, Vertical Cable Manager, for NetShelter SX 600mm Wide 42U, Set of 2, 107 x 889 x 45 mm

AR7721

Overview

| | |
|--------------|--|
| Presentation | Cable management accessory to help eliminate cable stress and maintain a neat, organized cable layout within an enclosure or a rack. |
| Lead time | Usually in Stock |

Main

| | |
|---------------------------|---|
| Product or component type | Cable organizer |
| Provided equipment | Installation guide 2 x vertical cable organizers |

Physical

| | |
|---------------------|---------------|
| Colour | Black |
| Height | 889 mm |
| Width | 107 mm |
| Depth | 45 mm |
| Net weight | 2.18 kg |
| Mounting location | Side |
| Mounting preference | No preference |
| Mounting mode | Rack-mounted |

Conformance

| | |
|------------------------|----------------|
| Product certifications | TAA compliance |
|------------------------|----------------|

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 16.3 cm |
| Package 1 Width | 84.8 cm |
| Package 1 Length | 6.4 cm |
| Package 1 Weight | 2.59 kg |

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|----------------|
| Total lifecycle Carbon footprint | 9 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 9 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0.2 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 0 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 0.2 kg CO2 eq. |

Use Better



Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACH Regulation | REACH Declaration |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture


| | |
|---------------------------------|---|
| Recyclability potential, in % | 95 |
| End of life manual availability | End of Life Information |
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative





