

Power Cord, C13 to C14, 2.5m



AP9870

Product availability: Non-Stock - Not normally stocked in distribution facility

Overview

Lead time Usually in Stock

Main

Product or Component Type	Power cord
Input Connection Type	IEC 60320 C14
Cable length	7.9 ft (2.4 m)
Number of cables	4

Physical

Color	Black	
Height	1.5 in (38 mm)	
Width	3.0 in (76 mm)	
Depth	8.0 in (203 mm)	
Net Weight	0.51 lb(US) (0.23 kg)	
Mounting preference	No preference	
Mounting Mode	Not rack-mountable	

Input

Input Frequency	50/60 Hz
permissible voltage	90250 V
Max line current	10 A
Input current limits	10 A

Output

Maximum Total Current Draw per Phase	10 A
Number of power socket outlets	1 IEC 60320 C13
Protection Type	Without circuit breaker

Conformance

Product Certifications	CSA
	UL Listed
	VDE

Environmental

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient air temperature for operation	32113 °F (045 °C)	
Relative Humidity	095 %	
Operating altitude	010000 ft	
Ambient Air Temperature for Storage	-13149 °F (-2565 °C)	
Storage Relative Humidity	095 %	
Storage altitude	050000 ft (015240 m)	

Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS	
GTIN	731304107897	
Returnability	No	
Country of origin	US	

Packing Units

PCE	
1	
2.008 in (5.100 cm)	
4.016 in (10.200 cm)	
7.992 in (20.300 cm)	
10.406 oz (295.000 g)	
S03	
10	
11.8 in (30 cm)	
11.8 in (30 cm)	
15.7 in (40 cm)	
7.430 lb(US) (3.370 kg)	
P12	
80	
17.717 in (45.000 cm)	
31.496 in (80.000 cm)	
47.244 in (120.000 cm)	
85.892 lb(US) (38.960 kg)	

Contractual warranty

Warranty (in months)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	31	

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Product contains halogen above thresholds
₩ Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

Use Again

○ Repack and remanufacture		
Circularity Profile	End of Life Information	
Take-back	No	
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.	