

# Product data sheet

Specifications



## APC NetShelter SX, Server Rack Enclosure, 12U, Black, 658H x 600W x 900D mm

AR3003

### Overview

**Presentation** An industry standard rack with the most standard features for speed of deployment and installation. Ready for low to medium density edge computing. Shorter height allows for deployment underneath cabinets, desks, in remote office branch office spaces for a secure and discrete solution for IT devices.

**Lead time** Usually in Stock

### Main

**Product or Component Type** Rack enclosure

**Number of rack unit** 12U

**Provided equipment**  
Casters  
Doors  
Key(s)  
Leveling feet  
Roof  
Side Panels

### Physical

**Height** 25.91 in (65.8 cm)

**Width** 23.62 in (60 cm)

**Depth** 35.43 in (90 cm)

**Net Weight** 119.006 lb(US) (53.98 kg)

**Color** Black

**Mounting preference** No preference

**Mounting Mode** Not rack-mountable

**Maximum Mounting Depth** 29.75 in (75.57 cm)

**minimum mounting depth** 7.52 in (19.1 cm)

**Rack Width** 19"

**Marking**  
14 gauge EIA mounting rail  
16 gauge front door  
16 gauge post  
18 gauge rear door  
18 gauge roof  
18 gauge side panels

**Permanent permissible load**  
600 lb(US) (272.2 kg) dynamic  
600 lb(US) (272.2 kg) static

### Conformance

**Standards**  
UL 2416  
UL 60950-1  
EIA-310E

## Ordering and shipping details

---

GTIN 731304347507

## Packing Units

---

|                              |                      |
|------------------------------|----------------------|
| Unit Type of Package 1       | PCE                  |
| Number of Units in Package 1 | 1                    |
| Package 1 Height             | 31.30 in (79.5 cm)   |
| Package 1 Width              | 39.17 in (99.5 cm)   |
| Package 1 Length             | 29.53 in (75 cm)     |
| Package 1 Weight             | 165.3 lb(US) (75 kg) |

## Contractual warranty

---

Warranty 5 year repair or replace

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

### Environmental footprint

|  |     |
|--|-----|
| Carbon footprint (kg CO2 eq, Total Life cycle) | 228 |
|--|-----|

|                          |   |
|--------------------------|---|
| Environmental Disclosure | <a href="#">Product Environmental Profile</a> |
|--------------------------|---|

## Use Better

### Materials and Substances

|  |    |
|--|----|
| Packaging made with recycled cardboard | No |
|--|----|

|                                      |    |
|--------------------------------------|----|
| Packaging without single use plastic | No |
|--------------------------------------|----|

|                                   |  |
|-----------------------------------|--|
| <a href="#">EU RoHS Directive</a> | Pro-active compliance (Product out of EU RoHS legal scope) |
|-----------------------------------|--|

|                  |                                   |
|------------------|-----------------------------------|
| REACH Regulation | <a href="#">REACH Declaration</a> |
|------------------|-----------------------------------|

|                       |  |
|-----------------------|--|
| China RoHS Regulation | <a href="#">China RoHS declaration</a> |
|-----------------------|--|

### Energy efficiency

|                             |                          |
|-----------------------------|--------------------------|
| Optimized Energy Efficiency | Energy efficient product |
|-----------------------------|--------------------------|

## Use Again

### Repack and remanufacture

Circularity Profile

[End of Life Information](#)

---

Take-back

Yes

---