

Product data sheet

Specifications



Rack PDU, Switched, 1U, 20A, 120V, (8)5-20



AP7901B

Overview

Lead Time Usually in Stock

Main

Color Black

Pdu Type Switched

Cord Length 12 ft (3.66 m)

Number Of Cables 1

Provided Equipment Cord retention bracket(s)
Horizontal mounting brackets
User Manual
Installation guide

Complementary

Input Voltage 100 V
120 V

Height 1.73 in (4.4 cm)

Width 17.52 in (44.5 cm)

Output Voltage 120 V

Depth 4.25 in (10.8 cm)

Net Weight 5.00 lb(US) (2.27 kg)

Mounting Location Front
Rear

Mounting Preference No preference

Input Plug Type NEMA L5-20P

Mounting Mode Rack-mounted

Rack Units 1U

Mounting Position Horizontal

Line Rated Current 16 A

Acceptable Input Voltage 100...120 V

Input Current Limits 20 A

Load Capacity 1900 VA

Input Frequency 50/60 Hz

Total Number Of Outlets 8 NEMA 5-20R

Environment

Product Certifications	cUL Listed CSA Industry Canada UL Listed
Standards	FCC Part 15 class A ICES-003 UL 60950
Ambient Air Temperature For Operation	32...113 °F (0...45 °C)
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-13...149 °F (-25...65 °C)
Storage Relative Humidity	0...95 %
Storage Altitude	0...50000 ft (0.00...15240.00 m)

Ordering and shipping details

Gtin	731304331575
-------------	--------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.76 in (7 cm)
Package 1 Width	13.50 in (34.3 cm)
Package 1 Length	18.50 in (47 cm)
Package 1 Weight	7.61 lb(US) (3.45 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)




Energy Efficient Take-back Transparency RoHS/REACH


Resource performance


 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

 Mercury Free

 Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
