Product data sheet

Specification





High-Performance Battery Module for 400V Symmetra PX 48/96/160KW & 208V Symmetra PX 100KW

SYBT9-B4

Overview

Lead Time Usually in Stock

Main

Battery Type	VRLA
Provided Equipment	Installation guide

Batteries & Runtime

Battery Placement	Internal Battery
Battery Blocks Per String	4
Battery Voltage	384 V
Battery Volt-Amp-Hour Capacity	3456 VAh

Physical

Height	6.26 in (15.9 cm)
Width	16.85 in (42.8 cm)
Depth	27.56 in (70 cm)
Net Weight	221.45 lb(US) (100.45 kg)

Conformance

Product Certifications	CE Eurobat General Purpose
Standards	UL 1778

Environmental

Ambient Air Temperature For Operation	32104 °F (040 °C)
Operating Altitude	03333 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	5104 °F (-1540 °C)
Storage Altitude	050000 ft (0.0015240.00 m)
Storage Relative Humidity	095 %

Ordering and shipping details

Gtin 3606489862886

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.09 in (18 cm)
Package 1 Width	31.89 in (81 cm)
Package 1 Length	23.62 in (60 cm)
Package 1 Weight	236.78 lb(US) (107.4 kg)

Contractual warranty

Warranty 1 year (parts only)



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Learn more about Green Premium >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov