

Product data sheet

Specifications



Seismic Kit for 600mm Symmetra PX 100 and Symmetra PX 250/500 Frames



SYOPT600

Overview

Lead Time Usually Ships within 3 Weeks

Main

Provided Equipment Warranty card

Physical

Color Black

Height 31.50 in (80 cm)

Width 5.51 in (14 cm)

Depth 4.72 in (12 cm)

Net Weight 17.64 lb(US) (8 kg)

Conformance

Standards OSHPD

Environmental

Ambient Air Temperature For Operation 32...104 °F (0...40 °C)

Operating Altitude 0...3333 ft

Relative Humidity 0...95 %

Ambient Air Temperature For Storage 5...104 °F (-15...40 °C)

Storage Altitude 0...3333 ft (0.00...1015.90 m)

Storage Relative Humidity 0...95 %

Ordering and shipping details

Gtin 731304291077

Packing Units

Unit Type Of Package 1 PCE

Number Of Units In Package 1 1

Package 1 Height 31.50 in (80 cm)

Package 1 Width 4.72 in (12 cm)

Package 1 Length 5.51 in (14 cm)

Package 1 Weight 17.64 lb(US) (8 kg)

Contractual warranty

Warranty

1 year repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)




Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Reach Free Of Svhc

 Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)
