

# Product data sheet

Specifications



## APC UPS Network Management Card 3



AP9640

### Overview

Lead Time Usually in Stock

### Main

Product Or Component Type UPS network management cards

Provided Equipment User Manual  
USB cable

### Physical

Height 1.50 in (3.8 cm)

Width 4.76 in (12.1 cm)

Depth 4.49 in (11.4 cm)

Net Weight 0.18 lb(US) (0.08 kg)

Mounting Preference No preference

Mounting Mode Not rack-mountable

### Conformance

Standards EN 55022 Class A  
EN 55024  
ICES-003

Product Certifications AS/NZS 3548 (C-Tick) Class A  
FCC part 15 class A  
GOST  
VCCI Class A

### Environmental

Ambient Air Temperature For Operation 32...113 °F (0...45 °C)

Operating Altitude 0...10000 ft

Relative Humidity 0...95 %

Ambient Air Temperature For Storage 23...113 °F (-5...45 °C)

Storage Altitude 0...50000 ft (0.00...15240.00 m)

Storage Relative Humidity 0...95 %

### Communications & Management

Authentication Radius

### Ordering and shipping details

---

Gtin 731304355533

## Packing Units

---

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.01 in (5.1 cm)
Package 1 Width	6.26 in (15.9 cm)
Package 1 Length	9.25 in (23.5 cm)
Package 1 Weight	0.75 lb(US) (0.34 kg)

---

## Contractual warranty

---

Warranty 2 years repair or replace

## Sustainability


**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more about Green Premium >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

 Energy Efficient Product

 Take-Back Program Available

## Certifications & Standards

**Reach Regulation**

[REACH Declaration](#)

**Eu Rohs Directive**

Compliant

[EU RoHS Declaration](#)

**Environmental Disclosure**

[Product Environmental Profile](#)