

Product data sheet

Specifications



APC Replacement Battery Cartridge, VRLA battery, 7Ah, 24VDC, 2-year warranty

RBC48

Overview

Lead time Usually in Stock

Main

Product or Component Type Replacement battery cartridge

Battery Type Lead-Acid battery

Provided Equipment All required connectors
Battery recycling guide
Reusable packaging
Installation guide

Physical

Height 4.25 in (10.8 cm)

Width 5.20 in (13.2 cm)

Depth 5.91 in (15 cm)

Net Weight 11.02 lb(US) (5 kg)

Mounting Mode Not rack-mountable

USB compatible No

Output

Battery Capacity 7.0 Ah

Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Operating altitude 0...10000 ft

Relative Humidity 0...95 %

Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)

Storage altitude 0...50000 ft (0.00...15240.00 m)

Storage Relative Humidity 0...95 %

Batteries & Runtime

Battery blocks per string 2

Battery Slots Empty	0
Included Battery Modules	0
Device mounting	Stand alone battery stack
Battery Voltage	24 V
RBC Quantity	1
Replacement battery	

Ordering and shipping details

GTIN	731304221586
------	--------------

Packing Units

Unit Type of Package 1	Db
Number of Units in Package 1	1
Package 1 Height	6.61 in (16.800 cm)
Package 1 Width	8.82 in (22.400 cm)
Package 1 Length	6.61 in (16.800 cm)
Package 1 Weight	13.03 lb(US) (5.910 kg)
Unit Type of Package 2	Doboz
Number of Units in Package 2	2
Package 2 Height	11.81 in (30.000 cm)
Package 2 Width	11.81 in (30.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	26.06 lb(US) (11.820 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	32
Package 3 Height	31.50 in (80.000 cm)
Package 3 Width	31.50 in (80.000 cm)
Package 3 Length	47.24 in (120.000 cm)
Package 3 Weight	416.94 lb(US) (189.120 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile

Circularity Profile

[End of Life Information](#)

Take-back

Take-back program available

Contractual warranty

Warranty

2 years repair or replace

Recommended replacement(s)