

<b>Availability</b>	November 2019 <b>February 2020— CN P/N</b>
<b>Brand</b>	Lexar®
<b>Product Name Full</b>	Lexar® Professional Multi-Card 3-in-1 USB 3.1 Reader
<b>Product Name Short</b>	Multi-Card 3-in-1 USB 3.1 Reader
<b>Product Line</b>	Consumer readers
<b>Marketing Text Long 25-Word Description</b> (<750characters)	The Lexar Professional Multi-Card 3-in-1 USB 3.1 Reader is a convenient way to quickly transfer files between multiple cards and your computer.
<b>Marketing Text 50-Word Description</b> (<750characters)	The Lexar Professional Multi-Card 3-in-1 USB 3.1 Reader is a convenient way to quickly transfer files between multiple cards and your computer. This multi-card reader leverages USB 3.1 technology to deliver high-speed file transfers of up to 312MB/s for SD™ and microSD™, plus up to 160MB/s for CompactFlash® cards, significantly improving your workflow.
<b>Marketing Text 100-Word Description</b> (<750characters)	<b>Improve your workflow with high-speed file transfer</b> The Lexar Professional Multi-Card 3-in-1 USB 3.1 Reader is a convenient way to quickly transfer files between multiple cards and your computer. This multi-card reader leverages USB 3.1 technology to deliver high-speed file transfers of up to 312MB/s <sup>1</sup> for SD™ and microSD™, plus up to 160MB/s for CompactFlash®. This allows you to maximize the speed and bandwidth of USB 3.1 desktop and laptop computers, and supports CompactFlash® (including UDMA 7), SD™, SDHC™, SDXC™ memory cards, and SD UHS-I and UHS-II memory cards. This makes the reader an excellent choice for photo and video professionals looking to significantly improve workflow.
<b>Bullet Feature 1</b>	Supports SD™, microSD™ and CompactFlash® cards
<b>Bullet Feature 2</b>	Transfer speeds of up to 312MB/s <sup>1</sup> for SD™ and microSD™ and up to 160MB/s for CompactFlash® cards
<b>Bullet Feature 3</b>	Extremely versatile multi-card reader with speedy file transfers
<b>Bullet Feature 4</b>	Backwards compatible with SD™ and microSD™ UHS-I cards (up to 170MB/s) <sup>1</sup>
<b>Bullet Feature 5</b>	Compatible with USB 3.1 and 2.0 ports
<b>Bullet Feature 6</b>	Includes a USB Type-C to USB Type-A cable
<b>Footnote(s)/ Disclaimer(s)</b>	*Reads CompactFlash® Type I and Type II UDMA 7, SD™, SDHC™, SDXC™, microSD™, microSDHC™  <sup>1</sup> Results may vary based on system configuration and card speed.  [Notes:] [Product page only:] Product appearance, software offerings, and packaging may vary depending on ship date and available inventory.
<b>Warranty</b>	Two-year limited warranty
<b>Market Segment</b>	Consumer Electronics, Camera, Photo, Video
<b>Category</b>	Memory card readers, Digital camera accessories, Video camera accessories

<b>Sub Category</b>	SD™, SDHC™, SDXC™, microSD™, microSDHC™, USB Reader, USB 3.1, Lexar
<b>Keywords for Search</b>	Lexar, SDHC, SDXC, photo, memory card reader, card reader, high-speed, USB 3.1, transfer media

Specifications				
<b>Module Type/ Form Factor</b>	Card Reader			
<b>Capacities</b>	N/A			
<b>Speed</b>	Up to 312MB/s <sup>1</sup>			
<b>Operating Temperature</b>	0° to 40° C (32°F to 104°F)			
<b>Storage Temperature</b>	-10° to 50° C(14°F to 122°F)			
<b>Shock</b>	1500G, duration 0.5ms, Half Sine Wave			
<b>Vibration</b>	0~2000Hz, 1.5mm, 20G, 1 Oct/min, 30min/axis(X,Y,Z)			
<b>Humidity</b>	95%			
Ordering information				
<b>Single UPC and/or Master Carton UPC (NA)</b>	<b>Part Number</b>	<b>Description</b>	<b>Single UPC</b>	<b>10 Pack UPC</b>
	LRW500URBNA	Lexar 3-in-1 Card Reader Retail Box NA	843367116867	10843367116864
<b>Single EAN and/or Master Carton UPC (GLOBAL)</b>	<b>Part Number</b>	<b>Description</b>	<b>Single UPC</b>	<b>10 Pack UPC</b>
	LRW500URB	Lexar 3-in-1 Card Reader Retail Box Global	843367116850	10843367116857
<b>Single UPC and/or Master Carton UPC (CN)</b>	<b>Part Number</b>	<b>Description</b>	<b>Single UPC</b>	<b>10 Pack UPC</b>
	LRW500URBCN	Lexar 3-in-1 Card Reader Retail Box China	843367118618	10843367118615

<b>Country of Origin</b>	Product of China
<b>Harmonized Tariff Schedule</b>	8471.70.9000
<b>Compliance</b>	FCC,CE,C-TICK,VCCI ,RoHS, VCCI, KC, WEEE

<b>Weights and Dimensions</b>		
<b>Product</b>		
<b>Unit Weight</b>	0.22lbs	99.8g
<b>Unit Dimensions L x W x H</b>	3.51" L x 3.15" W x 0.85" H	89.2mm L x 80.0mm W x 21.5mm H
<b>Image</b>		
<b>Retail Box (NA, Global, CN)</b>		
<b>Package Type</b>	Retail box	
<b>Qty Per Package</b>	1	
<b>Shipping Weight</b>	0.325lbs	147.8g
<b>Package Dimensions L x W x H</b>	4.74" L x 3.90" W x 1.02" H	120.5mm L x 99.2mm W x 26mm H
<b>Retail Box - Master Carton (NA, Global, CN)</b>		
<b>Package Type</b>	Retail box	
<b>Qty Per Package</b>	10	
<b>Shipping Weight</b>	3.527lbs	1.60kg
<b>Package Dimensions L x W x H</b>	11.33" L x 5.90" W x 4.53" H	288mm L x 150mm W x 115mm H